

2024

 **TEAMAX**
— POWER PRODUCTS —
CATALOGUE



LITHIUM GARDEN TOOLS
FUZHOU TEAMAX POWER TECHNOLOGY CO.,LTD



Contents

LITHIUM BRUSH CUTTER	1
LITHIUM MULTI-PURPOSE BRUSH CUTTER	3
LITHIUM CHAIN SAW	4
LITHIUM PRUNING SCISSORS	9
LITHIUM POLE SCISSOR AND SAW	11
LITHIUM HEDGE TRIMMER	12
LITHIUM BLOWER	13
LITHIUM MULTI-FUNCTION TOOLS	14
OTHER LITHIUM PRODUCTS	15



LITHIUM BRUSH CUTTER


TM-GT301Li

12^{Lithium}V

Description

- * Li-ion Battery: 12V DC
- * Motor Type: Brushed(Front)
- * Rated Power: 450W
- * No-load Speed: 10000rpm
- * Max Cutting Width: 150mm
- * Telescope range: 90-130cm

Accessories



LITHIUM BRUSH CUTTER

TM-GT302Li

21^{Lithium}V

Description

- * Li-ion Battery: 21V DC
- * Motor Type: Brushed(Front)
- * Rated Power: 650W
- * No-load Speed: 10000rpm
- * Max Cutting Width: 150mm
- * Telescope range: 90-130cm

Accessories



LITHIUM BRUSH CUTTER


TM-GT303Li

BRUSHLESS
21^{Lithium}V

Description

- * Li-ion Battery: 21V DC
- * Motor type: Brushless (Front)
- * Rated Power 800w
- * No-load speed 10000rpm
- * Max Cutting Width: 200mm
- * Telescope range: 100-140cm

Accessories



LITHIUM BRUSH CUTTER

TM-GT304Li

BRUSHLESS
21^{Lithium}V

Description

- * Li-ion Battery: 21V DC
- * Motor type: Brushless (Front)
- * Rated Power 800w
- * No-load speed 10000rpm
- * Max Cutting Width: 200mm
- * Telescope range: 100-140cm
- * With LCD display

Accessories



LITHIUM BRUSH CUTTER


TM-GT307Li

BRUSHLESS
21^{Lithium}V

Description

- * Li-ion Battery: 21V DC
- * Motor type: Brushless(Front)
- * Rated Power : 700w
- * No-load speed :9000rpm
- * Max Cutting Width: 200mm
- * Telescope: 120-150cm
- * With LCD display
- * With adjustable handle

Accessories



LITHIUM BRUSH CUTTER

TM-GT306Li

BRUSHLESS
21^{Lithium}V

Description

- * Li-ion Battery: 21V DC
- * Motor type: Brushless (Rear)
- * Rated Power : 1000w
- * No-load speed :8000rpm
- * Max Cutting Width: 230mm
- * Working shaft: 150cm(Split shaft)

Accessories



LITHIUM BRUSH CUTTER

TM-GT306BLi

BRUSHLESS
21V^{Lithium} + 21V^{Lithium}



Description

- * Li-ion Battery: 21V+21V DC
- * Motor type: Brushless (Rear)
- * Rated Power : 1000w
- * No-load speed : 8000rpm
- * Max Cutting Width: 230mm
- * Working shaft: 150cm (Split shaft)

Accessories



LITHIUM BRUSH CUTTER

TM-GT308Li

BRUSHLESS
21V^{Lithium}



Description

- * Li-ion Battery: 21V
- * Motor type: Brushless (Front)
- * Rated Power : 1200w
- * No-load speed : 8000rpm
- * Max Cutting Width: 255mm
- * Telescope: 120-150cm

Accessories



LITHIUM BRUSH CUTTER

TM-GT309ALi



BRUSHLESS
21V^{Lithium}
CE

Description

- * Li-ion Battery: 21V DC
- * Motor type: Brushless (Rear)
- * Rated Power : 1000w
- * No-load speed : 8000rpm
- * Max Cutting Width: 230mm
- * Working shaft: 26mm
- * With LCD display
- * D handle or Bicycle handle

Accessories



LITHIUM BRUSH CUTTER

TM-GT309BLi



BRUSHLESS
42V^{Lithium}
CE

Description

- * Li-ion Battery: 42V DC
- * Motor type: Brushless (Rear)
- * Rated Power : 1000w
- * No-load speed : 8000rpm
- * Max Cutting Width: 230mm
- * Working shaft: 26mm
- * With LCD display
- * D handle or Bicycle handle

Accessories



LITHIUM MULTI-PURPOSE BRUSH CUTTER

TM-MT309Li

Description

- * Li-ion Battery: 21V DC
- * Motor type: Brushless (Rear)
- * Rated Power : 1000w
- * No-load speed : 8000rpm
- * Max Cutting Width: 230mm
- * Working shaft: 26mm
- * With LCD display
- * D handle or Bicycle handle

B **BRUSHLESS**
21 ^{Lithium} **V**



CE

Accessories



3.0ah, 10cells



9"



4"/6" LITHIUM CHAIN SAW TM-CS400Li



Description

- * Li-ion Battery: 21V DC
- * Motor Type: Brushed
- * Rated Power: 550W
- * Operation : one-hand
- * No-load Speed: 12000rpm
- * Cutting Length: 10cm(4")-15cm(6")
- * Chain Speed: 5m/s
- * Chain Pitch: 1/4"
- * Chain lubricating: Without

Accessories



1.5ah,5cells



BMC CASE



4"/6" LITHIUM CHAIN SAW TM-CS401ALi



Description

- * Li-ion Battery: 21V DC
- * Motor Type: Brushed
- * Rated Power: 550W
- * Operation : one-hand
- * No-load Speed: 12000rpm
- * Cutting Length: 10cm(4")-15cm(6")
- * Chain Speed: 5m/s
- * Chain Pitch: 1/4"
- * Chain lubricating: Without

Accessories



1.5ah,5cells



BMC CASE



4"/6" LITHIUM CHAIN SAW TM-CS401BLi



Description

- * Li-ion Battery: 21V DC
- * Motor Type: Brushed
- * Rated Power: 550W
- * Operation : one-hand
- * No-load Speed: 12000rpm
- * Cutting Length: 10cm(4")-15cm(6")
- * Chain Speed: 5m/s
- * Chain Pitch: 1/4"
- * Chain lubricating: Without

Accessories



1.5ah,5cells



BMC CASE



4"/6" LITHIUM CHAIN SAW TM-CS401ELi



Description

- * Li-ion Battery: 21V DC
- * Motor Type: Brushed
- * Rated Power: 550W
- * Operation : one-hand
- * No-load Speed: 12000rpm
- * Cutting Length: 10cm(4")-15cm(6")
- * Chain Speed: 5m/s
- * Chain Pitch: 1/4"
- * Chain lubricating: Manual Type

Accessories



1.5ah,5cells



BMC CASE



4"/6" LITHIUM CHAIN SAW TM-CS401CLi



Description

- * Li-ion Battery: 21V DC
- * Motor Type: Brushed
- * Rated Power: 550W
- * Operation : one-hand
- * No-load Speed: 12000rpm
- * Cutting Length: 10cm(4")-15cm(6")
- * Chain Speed: 5m/s
- * Chain Pitch: 1/4"
- * Chain lubricating: Manual Type

Accessories



1.5ah,5cells



BMC CASE



4"/6" LITHIUM CHAIN SAW TM-CS401DLi



Description

- * Li-ion Battery: 16.8V DC
- * Motor Type: Brushed
- * Rated Power: 550W
- * Operation : one-hand
- * No-load Speed: 12000rpm
- * Cutting Length: 10cm(4")-15cm(6")
- * Chain Speed: 5m/s
- * Chain Pitch: 1/4"
- * Chain lubricating: Manual Type

Accessories



1.5ah,4cells



BMC CASE



6" LITHIUM CHAIN SAW

TM-CS402Li


BRUSHLESS
 21V Lithium

Description

- * Li-ion Battery: 21V DC
- * Motor Type: Brushless
- * Rated Power: 600W
- * Operation : one-hand
- * No-load Speed: 12000rpm
- * Cutting Length: 15cm(6")
- * Chain Speed: 10m/s
- * Chain Pitch: 1/4"
- * With Oil Bubble
- * Chain lubricating: Manual Type

Accessories



1.5ah,5cells



BMC CASE



6" LITHIUM CHAIN SAW

TM-CS412BLi


BRUSHLESS
 16.8V Lithium

Description

- * Li-ion Battery: 16.8V DC
- * Motor Type: Brushless
- * Rated Power: 600W
- * Operation : one-hand
- * No-load Speed: 12000rpm
- * Cutting Length:15cm(6")
- * Chain Speed: 10m/s
- * Chain Pitch: 1/4"
- * Chain lubricating: Manual Type

Accessories



1.5ah,4cells



BMC CASE



8"LITHIUM CHAIN SAW

TM-CS412Li


BRUSHLESS
 21V Lithium

Description

- * Li-ion Battery: 21V DC
- * Motor Type: Brushless
- * Rated Power: 800W
- * Operation : one-hand
- * No-load Speed: 12000rpm
- * Max Cutting Length:20cm(8")
- * Chain Speed: 10m/s
- * Chain Pitch: 1/4"
- * Chain lubricating: Automatic Type
- * LCD display: Yes

Accessories



3.0ah,10cells



BMC CASE



8"LITHIUM CHAIN SAW

TM-CS418Li


BRUSHLESS
 21V Lithium

Description

- * Li-ion Battery: 21V DC
- * Motor Type: Brushless
- * Rated Power: 600W
- * Operation : one-hand
- * No-load Speed: 12000rpm
- * Cutting Length:20cm(8")
- * Charging Time: 2-3H
- * Chain Speed: 10m/s
- * Chain Pitch: 1/4"
- * Chain lubricating: Automatic Type
- * LCD display: Yes

Accessories



3.0ah,10cells



BMC CASE



8"LITHIUM CHAIN SAW

TM-CS428Li


BRUSHLESS
 21V Lithium

Description

- * Li-ion Battery: 21V DC
- * Motor Type: Brushless
- * Rated Power: 800W
- * Operation : one-hand
- * No-load Speed: 12000rpm
- * Max Cutting Length:20cm(8")
- * Chain Speed: 10m/s
- * Chain Pitch: 1/4"
- * Chain lubricating: Automatic Type
- * LCD display: Yes

Accessories



3.0ah,10cells



BMC CASE



8"LITHIUM CHAIN SAW

TM-CS414Li


BRUSHLESS
 21V Lithium

Description

- * Li-ion Battery: 21V DC
- * Motor Type: Brushless
- * Rated Power: 800W
- * Operation : one-hand
- * No-load Speed: 12000rpm
- * Max Cutting Length:20cm(8")
- * Chain Speed: 10m/s
- * Chain Pitch: 1/4"
- * Chain lubricating: Automatic Type
- * LCD display: Yes

Accessories



3.0ah,10cells



BMC CASE



12"LITHIUM CHAIN SAW TM-CS405ALi



Li-ion Battery:	21V DC
Motor Type:	Brushless
Rated Power:	900W
Operation :	two-hands
No-load Speed:	10000rpm
Cutting Length:	30cm(12")
Chain Speed:	10m/s
Chain Pitch:	1/4"
Chain lubricating:	Automatic Type
LCD display:	Yes

10"/12"LITHIUM CHAIN SAW TM-CS405BLi



Li-ion Battery:	21V DC
Motor Type:	Brushless
Rated Power:	1200W
Operation :	two-hands
No-load Speed:	10000rpm
Cutting Length:	25cm(10")-30cm(12")
Chain Speed:	10m/s
Chain Pitch:	3/8"P
Chain lubricating:	Automatic Type
LCD display:	Yes

10"/12"LITHIUM CHAIN SAW TM-CS410Li



Li-ion Battery:	21V DC
Motor Type:	Brushless
Rated Power:	1200W
Operation :	two-hands
No-load Speed:	10000rpm
Cutting Length:	25cm(10")-30cm(12")
Chain Speed:	10m/s
Chain Pitch:	3/8"P
Chain lubricating:	Automatic Type
LCD display:	Yes

10"/12"LITHIUM CHAIN SAW TM-CS406Li



Li-ion Battery:	21V DC
Motor Type:	Brushless
Rated Power:	1200W
Operation :	two-hands
No-load Speed:	10000rpm
Cutting Length:	25cm(10")-30cm(12")
Chain Speed:	10m/s
Chain Pitch:	3/8"P
Chain lubricating:	Automatic Type
LCD display:	No

10"/12"LITHIUM CHAIN SAW TM-CS420Li



Li-ion Battery:	21V DC
Motor Type:	Brushless
Rated Power:	1200W
No-load Speed:	10000rpm
Cutting Length:	25cm(10")-30cm(12")
Chain Speed:	12m/s
Chain Pitch:	1/4"
Chain lubricating:	Automatic Type
LCD display:	Yes

10"/12"LITHIUM CHAIN SAW TM-CS421Li



Li-ion Battery:	21V DC
Motor Type:	Brushless
Rated Power:	800W
Operation :	two-hands
No-load Speed:	10000rpm
Cutting Length:	25cm(10")-30cm(12")
Chain Speed:	8m/s
Chain Pitch:	3/8"P
Chain lubricating:	Manual Type
LCD display:	No

12"LITHIUM CHAIN SAW

TM-CS422Li

BRUSHLESS

21^{Lithium}V

CE



Li-ion Battery:	21V DC
Motor Type:	Brushless
Rated Power:	1000W
Operation :	two-hands
No-load Speed:	10000rpm
Cutting Length:	30cm(12")
Chain Speed:	10m/s
Chain Pitch:	3/8"P
Chain lubricating:	Automatic Type
LCD display:	Yes

With electronic braking system

12"LITHIUM CHAIN SAW

TM-CS423Li

BRUSHLESS

21^{Lithium}V

CE



Li-ion Battery:	21V DC
Motor Type:	Brushless
Rated Power:	1000W
Operation :	two-hands
No-load Speed:	10000rpm
Cutting Length:	30cm(12")
Chain Speed:	15m/s
Chain Pitch:	3/8"P
Chain lubricating:	Automatic Type
LCD display:	Yes

With electronic braking system

16"LITHIUM CHAIN SAW

TM-CS408Li

BRUSHLESS

21^{Lithium}V + 21^{Lithium}V

CE



Li-ion Battery:	21V +21V DC
Motor Type:	Brushless
Rated Power:	1800W
Operation :	two-hands
No-load Speed:	8000rpm
Cutting Length:	40cm(16")
Chain Speed:	12m/s
Chain Pitch:	3/8"P
Chain lubricating:	Automatic Type
LCD display:	Yes

With electronic braking system

16"LITHIUM CHAIN SAW

TM-CS416Li

BRUSHLESS

21^{Lithium}V + 21^{Lithium}V

CE



Li-ion Battery:	21V +21V DC
Motor Type:	Brushless
Rated Power:	1800W
Operation :	two-hands
No-load Speed:	8000rpm
Cutting Length:	40cm(16")
Chain Speed:	12m/s
Chain lubricating:	Automatic Type
LCD display:	Yes

With electronic braking system

14"LITHIUM CHAIN SAW

TM-CS415Li

BRUSHLESS

42^{Lithium}V

CE



Li-ion Battery:	42V DC
Motor Type:	Brushless
Rated Power:	1600W
Operation :	two-hands
No-load Speed:	10000rpm
Cutting Length:	35cm(14")
Chain Speed:	12m/s
Chain Pitch:	3/8"P
Chain lubricating:	Automatic Type
LCD display:	Yes

With electronic braking system

16"LITHIUM CHAIN SAW

TM-CS407Li

BRUSHLESS

42^{Lithium}V

CE



Li-ion Battery:	42V DC
Motor Type:	Brushless
Rated Power:	1600W
Operation :	two-hands
No-load Speed:	10000rpm
Cutting Length:	40cm(16")
Chain Speed:	12m/s
Chain Pitch:	3/8"P
Chain lubricating:	Automatic Type
LCD display:	Yes

16"LITHIUM POLE SAW
TM-CS425Li



Li-ion Battery:	42V DC
Motor Type:	Brushless
Rated Power:	2000W
Operation :	two-hands
No-load Speed:	8000rpm
Cutting Length:	40cm(16")
Chain Speed:	12m/s
Chain lubricating:	Automatic Type
LCD display:	Yes

16"LITHIUM CHAIN SAW
TM-CS409Li



Li-ion Battery:	42V DC
Motor Type:	Brushless
Rated Power:	2000W
Operation :	two-hands
No-load Speed:	8000rpm
Cutting Length:	40cm(16")
Chain Speed:	12m/s
Chain lubricating:	Automatic Type
LCD display:	Yes

16"LITHIUM CHAIN SAW
TM-CS424Li



Li-ion Battery:	42V DC
Motor Type:	Brushless
Rated Power:	2000W
Operation :	two-hands
No-load Speed:	8000rpm
Cutting Length:	40cm(16")
Chain Speed:	12m/s
Chain lubricating:	Automatic Type
LCD display:	Yes

With electronic braking system

16"LITHIUM CHAIN SAW
TM-CS426Li



Li-ion Battery:	42V DC
Motor Type:	Brushless
Rated Power:	2000W
Operation :	two-hands
No-load Speed:	8000rpm
Cutting Length:	40cm(16")
Chain Speed:	12m/s
Chain lubricating:	Automatic Type
LCD display:	Yes

With electronic braking system

8"LITHIUM CHAIN SAW
TM-CS417Li



Li-ion Battery:	21V DC
Motor Type:	Brushless
Rated Power:	800W
No-load Speed:	12000rpm
Cutting Length:	20cm(8")
Chain Speed:	8m/s
Chain Pitch:	3/8"P
Telescopic scope:	150-300cm
Rotatable:	0-90°



25mm LITHIUM PRUNING SCISSORS

TM-SH2501Li

BRUSHLESS
16.8V ^{Lithium}



Description

- * Li-ion Battery: 16.8V DC
- * Motor Type: Brushless
- * Rated Power: 300W
- * Cutting Diameter: 0-25mm
- * Blade material: SK5
- * Charging Time: 2-3H
- * Working time: 4-6H
- * LCD display: No

Accessories



1.5ah, 4cells



BMC CASE



25mm LITHIUM PRUNING SCISSORS

TM-SH2506Li

BRUSHLESS
16.8V ^{Lithium}



Description

- * Li-ion Battery: 16.8V DC
- * Motor Type: Brushless
- * Rated Power: 300W
- * Cutting Diameter: 0-25mm
- * Blade material: SK5
- * Charging Time: 2-3H
- * Working time: 4-6H
- * LCD display: Yes

Accessories



1.5ah, 4cells



BMC CASE



28mm LITHIUM PRUNING SCISSORS

TM-SH2502Li

BRUSHLESS
21V ^{Lithium}



Description

- * Li-ion Battery: 21V DC
- * Motor Type: Brushless
- * Rated Power: 300W
- * Cutting Diameter: 0-28mm
- * Blade material: SK5
- * Charging Time: 2-3H
- * Working time: 4-6H
- * LCD display: No

Accessories



1.5ah, 5cells



BMC CASE



28mm LITHIUM PRUNING SCISSORS

TM-SH2503Li

BRUSHLESS
21V ^{Lithium}



Description

- * Li-ion Battery: 21V DC
- * Motor Type: Brushless
- * Rated Power: 300W
- * Cutting Diameter: 0-28mm
- * Blade material: SK5
- * Charging Time: 2-3H
- * Working time: 4-6H
- * LCD display: No

Accessories



1.5ah, 5cells



BMC CASE



28mm LITHIUM PRUNING SCISSORS

TM-SH2504Li

BRUSHLESS
21V ^{Lithium}



Description

- * Li-ion Battery: 21V DC
- * Motor Type: Brushless
- * Rated Power: 300W
- * Cutting Diameter: 0-28mm
- * Blade material: SK5
- * Charging Time: 2-3H
- * Working time: 4-6H
- * LCD display: No

Accessories



1.5ah, 5cells



BMC CASE



32mm LITHIUM PRUNING SCISSORS

TM-SH3501Li

BRUSHLESS
21V ^{Lithium}



Description

- * Li-ion Battery: 21V DC
- * Motor Type: Brushless
- * Rated Power: 400W
- * Cutting Diameter: 0-32mm
- * Blade material: SK5
- * Charging Time: 2-3H
- * Working time: 4-6H
- * LCD display: Yes

Accessories



1.5ah, 5cells



BMC CASE



32mm LITHIUM PRUNING SCISSORS

TM-SH3502Li

BRUSHLESS
21V^{Lithium}



Description

- * Li-ion Battery: 21V DC
- * Motor Type: Brushless
- * Rated Power: 400W
- * Cutting Diameter: 0-32mm
- * Blade material SK5
- * Charging Time: 2-3H
- * Working time: 4-6H
- * LCD display: Yes

Accessories



1.5ah, 5cells



BMC CASE



32mm LITHIUM PRUNING SCISSORS

TM-SH3504Li

BRUSHLESS
21V^{Lithium}



Description

- * Li-ion Battery: 21V DC
- * Motor Type: Brushless
- * Rated Power: 400W
- * Cutting Diameter: 0-32mm
- * Blade material SK5
- * Charging Time: 2-3H
- * Working time: 4-6H
- * LCD display: Yes

Accessories



1.5ah, 5cells



BMC CASE



40mm LITHIUM PRUNING SCISSORS

TM-SH4501Li

BRUSHLESS
21V^{Lithium}



Description

- * Li-ion Battery: 21V DC
- * Motor Type: Brushless
- * Rated Power: 450W
- * Cutting Diameter: 0-40mm
- * Blade material SK5
- * Charging Time: 2-3H
- * Working time: 4-6H
- * LCD display: Yes

Accessories



1.5ah, 5cells



BMC CASE



40mm LITHIUM PRUNING SCISSORS

TM-SH4502Li

BRUSHLESS
21V^{Lithium}



Description

- * Li-ion Battery: 21V DC
- * Motor Type: Brushless
- * Rated Power: 450W
- * Cutting Diameter: 0-40mm
- * Blade material SK5
- * Charging Time: 2-3H
- * Working time: 4-6H
- * LCD display: Yes

Accessories



1.5ah, 5cells



BMC CASE



40mm LITHIUM PIPE SCISSORS

TM-SH4504Li

BRUSHLESS
21V^{Lithium}



Description

- * Li-ion Battery: 21V DC
- * Motor Type: Brushless
- * Rated Power: 300W
- * Cutting Diameter: 0-40mm
- * Blade material SK5
- * Charging Time: 2-3H
- * Working time: 4-6H

Accessories



1.5ah, 5cells



BMC CASE



50mm LITHIUM PRUNING SCISSORS

TM-SH5001Li

BRUSHLESS
21V^{Lithium}



Description

- * Li-ion Battery: 21V DC
- * Motor Type: Brushless
- * Rated Power: 600W
- * Cutting Diameter: 0-50mm
- * Blade material SK5
- * Charging Time: 2-3H
- * Working time: 4-6H
- * LCD display: Yes

Accessories



3.0ah, 6cells



BMC CASE





EXTENSION BAR
TM-P3011A

- * Telescopic scope:130-210cm (two sections)
- * Head :fixed
- * Universal for cordless chain saw and pruning shears



EXTENSION BAR
TM-P3011B

- * Telescopic scope:150-270cm (three sections)
- * Head :rotatable 180 degree
- * Universal for cordless chain saw and pruning shears



Lithium
21V

LITHIUM POLE SAW
TM-P3013Li

- * Motor Type: Brushed
- * Rated Power: 550W
- * No-load Speed: 12000rpm
- * Cutting Length: 15cm(6")
- * Chain Speed: 5m/s
- * Telescopic scope:150-270cm



BRUSHLESS
Lithium
21V

LITHIUM POLE PRUNING SCISSORS
TM-P3014Li

- * Motor Type: Brushless
- * Rated Power: 300W
- * Cutting Diameter: 0-28mm
- * Blade material SK5
- * LCD display:No
- * Telescopic scope:150-270cm



BRUSHLESS
Lithium
21V

LITHIUM POLE SCISSORS AND SAW **TM-P3015Li**

Description

- * Motor Type: Brushless
- * Rated Power: 300W
- * Cutting Diameter:28mm(Scissor) /15cm(Saw)
- * LCD display:No
- * Telescopic scope:150-270cm

LITHIUM HEDGE TRIMMER

TM-SH704Li

21 ^{Lithium} V

Description

- * Li-on Battery: 21V 1.5ah
- * Motor Type: Brushed
- * Rated Power: 400w
- * No-load Speed: 1350rpm
- * Max Cutting Length: 130mm (mower) 230mm(hedge trimmer)

Accessories



1.5ah,5cells



LITHIUM HEDGE TRIMMER

TM-SH705Li

21 ^{Lithium} V

Description

- * Li-on Battery: 21V 1.5ah
- * Motor Type: Brushed
- * Rated Power: 400w
- * No-load Speed: 1350rpm
- * Max Cutting Length: 150mm (mower) 300mm(hedge trimmer)

Accessories



1.5ah,5cells



LITHIUM HEDGE TRIMMER

TM-HT601Li

BRUSHLESS
21 ^{Lithium} V

Description

- * Lithium Battery: 21V DC
- * Motor Type: Brushless
- * Rated Power: 500w
- * No-load speed: 1700rpm
- * Max Cutting Length: 510mm
- * Max Cutting Diameter: 15mm

Accessories



3.0ah,10cells



LITHIUM HEDGE TRIMMER

TM-HT602Li

21 ^{Lithium} V

Description

- * Lithium Battery: 21V DC
- * Motor Type: Brushed
- * Rated Power: 600w
- * No-load speed: 1500rpm
- * Max Cutting Length: 510mm
- * Max Cutting Diameter: 15mm

Accessories



3.0ah,10cells



LITHIUM HEDGE TRIMMER

TM-HT603Li

BRUSHLESS
21 ^{Lithium} V

Description

- * Lithium Battery: 21V DC
- * Motor Type: Brushless
- * Rated Power: 600w
- * No-load speed: 1700rpm
- * Max Cutting Length: 510mm
- * Max Cutting Diameter: 15mm
- * Rear handle rotatable: 180°

Accessories



3.0ah,10cells



LITHIUM HEDGE TRIMMER

TM-HT604Li

BRUSHLESS
21 ^{Lithium} V + 21 ^{Lithium} V

Description

- * Lithium Battery: 21V+21V DC
- * Motor Type: Brushless
- * Rated Power: 1200w
- * No-load speed: 2200rpm
- * Max Cutting Length: 680mm
- * Max Cutting Diameter: 20mm

Accessories



3.0ah,10cells



LITHIUM BLOWER

TM-EB806Li

21^{Lithium}V

Description

- * Lithium Battery: 21V DC
- * Motor Type: Brushed
- * No-load Speed: 35000rpm
- * Max Air Speed: 100km/h
- * Max Air Volume: 2.5m³/min

Accessory&Optional



1.5ah,5cells



LITHIUM BLOWER

TM-EB801Li

21^{Lithium}V

Description

- * Lithium Battery: 21V DC
- * Motor Type: Brushed
- * No-load Speed: 18000rpm
- * Max Air Speed: 100km/h
- * Max Air Volume: 2.8m³/min

Accessory&Optional



3.0ah,10cells



LITHIUM BLOWER

TM-EB803Li

21^{Lithium}V

Description

- * Lithium Battery: 21V DC
- * Motor Type: Brushed
- * No-load Speed: 16000rpm
- * Max Air Speed: 140km/h
- * Max Air Volume: 8.4m³/min

Accessory&Optional



3.0ah,10cells



LITHIUM BLOWER

TM-EB804Li

21^{Lithium}V

Description

- * Lithium Battery: 21V DC
- * Motor Type: Brushed
- * No-load Speed: 16000rpm
- * Max Air Speed: 140km/h
- * Max Air Volume: 8.4m³/min

Accessory&Optional



3.0ah,10cells



BRUSHLESS



LITHIUM MULTI-FUNCTION TOOLS

TM-MT200Li

Description

21V
Lithium

- * Output power :300w
- * Motor Type: Brushless
- * No-load Speed: 18000rpm



MT201

TWO SPEED DRILL

Chuck dia :10mm
Torque: 32N.m
No-load Speed: 1450rpm



MT202

SCREW DRIVER

Chuck dia :6.35mm
Torque: 180N.m
No-load Speed: 3300rpm



MT203

IMPACT WRENCH

Chuck dia :6.35mm+12.7mm
Torque: 300N.m
No-load Speed: 2800rpm



MT204

SANDER

Plate size:94*135mm
No-load Speed: 10000rpm



MT205

JIG SAW

Cutting capacity :12.7mm
No-load Speed: 2700rpm



MT206

RECIPROCATING SAW

Cutting capacity :15mm
No-load Speed: 3000rpm



MT207

CHAIN SAW ATTACHMENT

Cutting capacity :100mm
No-load Speed: 4000rpm



MT208

MOWER

Cutting capacity :80mm
No-load Speed: 1200rpm



MT209

HEDGE TRIMMER

Cutting capacity :160mm
No-load Speed: 1200rpm



MT210

WASHER

Flow :2.4L/min
Pressure:3.0Mpa



MT211

BLOWER

Air flow :2.8m³/min
No-load Speed: 24000rpm



MT212

ANGLE GRINDER

Cutting blade dia. :100mm
blade inner dia. :16mm
No-load Speed: 8000rpm



MT213

HAMMER DRILL

Impact frequency:5500bpm
Impact energy.:1.7J
No-load Speed: 2000rpm



MT214

INFLATING PUMP

Pressure:6.9Bar
No-load Speed: 3300rpm



MT215

MT216

PLASTIC TOOLS BOX

Dimension:3.65*28*11cm
(3.65*28*19.5cm)

LITHIUM CAR WASHER

TM-CW900Li

21V Lithium

Description

- * Lithium Battery: 21V DC
- * Motor Type: Brushed
- * Rated Power: 300w
- * Pressure : 10 Bar
- * Water flow: 4L / min

Accessories



LITHIUM CAR WASHER

TM-CW901Li

21V Lithium

Description

- * Lithium Battery: 21V DC
- * Motor Type: Brushed
- * Rated Power: 500w
- * Pressure : 20 Bar
- * Water flow: 5.6L / min

Accessories



LITHIUM CAR WASHER

TM-CW902Li

BRUSHLESS
21V Lithium

Description

- * Lithium Battery: 21V DC
- * Motor Type: Brushless
- * Rated Power: 500w
- * Pressure : 20 Bar
- * Water flow: 5.6L / min

Accessories



LITHIUM MINI ANGLE GRINDER

TM-GD903Li

16.8V Lithium

Description

- * Lithium Battery: 16.8V DC
- * Motor Type: Brushed
- * Rated Power: 550w
- * Max Cutting thickness: 10mm

Accessories



LITHIUM MINI ANGLE GRINDER

TM-GD903BLi

BRUSHLESS
16.8V Lithium

Description

- * Lithium Battery: 16.8V DC
- * Motor Type: Brushless
- * Rated Power: 600w
- * Max Cutting thickness: 10mm
- * With display

Accessories



LITHIUM MINI SPRAYER

TM-SP904Li

4.2V Lithium

Description

- * Lithium Battery: 4.2V DC
- * Motor Type: Brushed
- * Rated Power: 80w
- * Tank capacity: 5L



LI-ION BATTERY TEA LEAF PICKER TM-4CD35ALi

BRUSHLESS
21V Lithium

Description

- * Lithium Battery: 21V DC
- * Motor Type: Brushless
- * Rated Power: 300w
- * Blade Length: 350mm
- * Productivity: >30kg/h

Accessories



3.0ah, 10cells



LI-ION BATTERY TEA LEAF PICKER TM-4CD35BLi

BRUSHLESS
24V Lithium

Description

- * Lithium Battery: 24V DC
- * Motor Type: Brushless
- * Rated Power: 300w
- * Blade Length: 350mm
- * Productivity: >30kg/h

Accessories



24V 12ah



LITHIUM EARTH AUGER TM-EA903Li

BRUSHLESS
21V Lithium

Description

- * Lithium Battery: 21V DC
- * Motor Type: Brushless
- * Adjustable speed: 3 Levels
- * Optional bit size: 100/150/200mm

Accessories



3.0ah, 10cells



LITHIUM EARTH AUGER TM-EA904Li

BRUSHLESS
21V Lithium

Description

- * Lithium Battery: 21V DC
- * Motor Type: Brushless
- * Adjustable speed: 3 Levels
- * Optional bit size: 100/150/200mm

Accessories



3.0ah, 10cells



LITHIUM POLISHING MACHINE TM-TW907Li

BRUSHLESS
21V Lithium

Description

- * Lithium Battery: 21V DC
- * Motor Type: Brushless
- * Rated Power: 2.6kw
- * Adjustable speed: 3 Levels
- * Speed : 0-360rpm

Accessories



21v 3.0ah



LITHIUM POLISHING MACHINE TM-TW908Li

BRUSHLESS
21V Lithium

Description

- * Lithium Battery: 21V DC
- * Motor Type: Brushless
- * Rated Power: 2.6kw
- * Adjustable speed: 3 Levels
- * Speed : 0-360rpm
- * With pole : 1.5m

Accessories



21v 3.0ah



LITHIUM SNOW BLOWER TM-SP909Li

BRUSHLESS
21V Lithium



Description

- * Lithium Battery: 21V DC
- * Motor Type: Brushless
- * Rated Power: 800w
- * No-Load speed: 2000rpm
- * Working width: 250mm

Accessories



21v 3.0ah



LITHIUM SHEEP CLIPPERS TM-CL910Li

BRUSHLESS
21V Lithium



Description

- * Li-ion Battery: 21V DC
- * Motor Type: Brushless
- * Rated Power: 300W
- * No-load Speed: 2800rpm
- * Working time : 1-1.5H(one charging)

Accessories



4.0ah, 10cells



BMC CASE



LITHIUM FAN TM-F905Li

21V Lithium



Description

- * Lithium Battery: 220V AC or 21V DC
- * Fan blade size: 12"
- * Motor Type: Brushed
- * Rated Power: 400w
- * No-Load speed: 2800rpm
- * Rotation angle: 270°
- * With led light

Accessories



3.0ah, 10cells



LITHIUM RECIPROCATING SAW TM-RS906Li

21V Lithium



Description

- * Lithium Battery: 21V DC
- * Motor Type: Brushed
- * Rated Power: 550w
- * Cutting stroke: 15mm
- * Max Cutting thickness:
150mm(wood)/6mm(metal)
/40mm(plastic)

Accessories



1.5ah, 5cells



BMC CASE



12V 1.5AH
(3CELLS)



16.8V 1.5AH
(4CELLS)



21V 1.5/2.0AH
(5CELLS)



21V 3.0/4.0AH
(10CELLS)



21V 5.0/6.0AH
(15CELLS)



STANDARD CHARGER
(0.5A-0.7A)



FAST CHARGER
(1.0A)



CN Standard



Europe Standard



USA/P Standard



AU Standard



KR Standard



UK Standard



FUZHOU TEAMAX POWER TECHNOLOGY CO.,LTD

Factory Address:NO.9 Xita Road,Chengxi Industrial Park Yongkang,Zhejiang,China

Tel:+86-591-83054667 Fax:+86-591-83054667

Email:manager@teamaxpower.com

Mobile:+86-13600850700 (wechat/whatsapp)

www.teamaxpower.com www.teamaxtool.com

