



LITHIUM BATTERY GARDEN TOOLS







TM-GT301Li ^{Lithium} **12V**

Motor Type: Brushed//Rated Power: 450W//
No-load Speed: 10000rpm//Max Cutting Width: 150mm
Telescope: 90-130cm



TM-GT302Li ^{Lithium} **21V**

Motor Type: Brushed//Rated Power: 650W//
No-load Speed: 10000rpm//Max Cutting Width: 150mm
Telescope range: 90-130cm



TM-GT303Li ^{Lithium} **21V**

Motor Type: Brushed//Rated Power 1000w//
No-load Speed: 10000rpm//Max Cutting Width: 200mm
Telescope: 100-140cm



TM-GT306Li ^{Lithium} **21V**

Motor Type: Brushed//Rated Power: 1000W//
No-load Speed: 8000rpm//Max Cutting Width: 230mm
Telescope: 150cm(detachable)



TM-GT307Li ^{Lithium} **21V**

Motor Type: Brushed//Rated Power: 700W//
No-load Speed: 7000rpm//Max Cutting Width: 200mm
Telescope: 120-150cm



TM-GT308Li ^{Lithium} **21V**

Motor Type: Brushed//Rated Power: 1200W//
No-load Speed: 8000rpm//Max Cutting Width: 255mm
Telescope: 120-150cm





TM-CS401ALi

Lithium
21V

Motor Type: Brushed//Rated Power: 550W
No-load Speed: 12000rpm//Cutting Length: 10cm(4")/15cm(6")
Chain Speed: 5m/s//Chain lubricating system: NO
Battery indicator: NO



TM-CS401BLi

Lithium
21V

Motor Type: Brushed//Rated Power: 550W//
No-load Speed: 12000rpm//Cutting Length: 10cm(4")/15cm(6")
Chain Speed: 5m/s//Chain lubricating system: NO
Battery indicator: NO



TM-CS401CLi

Lithium
21V

Motor Type: Brushed//Rated Power 550w//
No-load Speed: 12000rpm//Cutting Length: 10cm(4")/15cm(6")
Chain Speed: 5m/s//Chain lubricating system: Yes
Battery indicator: No



TM-CS401DLi

Lithium
16.8V

Motor Type: Brushed//Rated Power: 550W//
No-load Speed: 12000rpm//Cutting Length: 10cm(4")/15cm(6")
Chain Speed: 5m/s//Chain lubricating system: Yes
Battery indicator: No



TM-CS402Li

BRUSHLESS
Lithium
21V

Motor Type: Brushless//Rated Power: 600W
No-load Speed: 12000rpm//Cutting Length: 15cm(6")
Chain Speed: 8m/s//Chain lubricating system: Yes
Battery indicator: Yes



TM-CS411Li

BRUSHLESS
Lithium
21V

Motor Type: Brushless//Rated Power: 800W//
No-load Speed: 12000rpm//Chain Speed: 8m/s
Chain Speed: 10m/s//Chain lubricating system: Yes
Battery indicator: Yes





TM-CS412Li

BRUSHLESS
Lithium
21V

Motor Type: Brushless//Rated Power: 800W//
No-load Speed: 12000rpm//Max Cutting Length:20cm(8")
Chain Speed: 10m/s//Chain lubricating system: Yes
Battery indicator: Yes



TM-CS416Li

BRUSHLESS
Lithium
21V

Motor Type: Brushless//Rated Power: 600W//
No-load Speed: 12000rpm//Max Cutting Length:20cm(8")
Charging Time: 2-3H//Chain Speed: 8m/s
Chain lubricating system: Yes
Battery indicator: Yes



TM-CS414Li

BRUSHLESS
Lithium
21V

Motor Type: Brushless//Rated Power 800w//
No-load Speed: 12000rpm//Max Cutting Length:20cm(8")
Chain Speed: 8m/s//Chain lubricating system: Yes
Battery indicator: Yes



TM-CS405ALi

BRUSHLESS
Lithium
21V

Motor Type: Brushless//Rated Power: 900W//
No-load Speed: 10000rpm//Max Cutting Length:20cm(8")
Chain Speed: 10m/s//Chain lubricating system: Yes
Battery indicator: Yes



TM-CS405BLi

BRUSHLESS
Lithium
21V

Motor Type: Brushless//Rated Power: 1200W//
No-load Speed: 10000rpm//Max Cutting Length: 10"/12"
Chain Speed: 10m/s//Chain lubricating system: Yes
Battery indicator: Yes



TM-CS410Li

BRUSHLESS
Lithium
21V

Motor Type: Brushless//Rated Power: 1200W//
No-load Speed: 10000rpm//Max Cutting Length: 10"/12"
Chain Speed: 10m/s//Chain lubricating system: Yes
Battery indicator: Yes





B RUSHLESS
Lithium
21V

TM-CS406Li

Motor Type: Brushless//Rated Power: 1280W//
No-load Speed: 10000rpm//Max Cutting Length:10"/12"
Chain Speed: 10m/s//Chain lubricating system: Yes
Battery indicator: No



B RUSHLESS
Lithium
42V

TM-CS415Li

Motor Type: Brushless//Rated Power: 1600W//
No-load Speed: 10000rpm//Max Cutting Length:35cm(14")
Chain Speed: 12m/s//Chain lubricating system: Yes
Battery indicator: Yes



B RUSHLESS
Lithium
36V

TM-CS407Li

Motor Type: Brushless//Rated Power 1600w//
No-load Speed: 1000rpm//Cutting Length: 40cm(6")
Chain Speed: 12m/s//Chain lubricating system: Yes
Battery indicator: No



B RUSHLESS
Lithium
21V + 21V

TM-CS408Li

Motor Type: Brushless//Rated Power: 1800W//
No-load Speed: 8000rpm//Max Cutting Length: 40cm(16")
Chain Speed: 12m/s//Chain lubricating system: Yes
Battery indicator: No



B RUSHLESS
Lithium
42V

TM-CS409Li

Motor Type: Brushless//Rated Power: 2000W//
No-load Speed: 8000rpm//Max Cutting Length: 40cm(16")
Chain Speed: 12m/s//Chain lubricating system: Yes
Battery indicator: Yes



B RUSHLESS
Lithium
21V + 21V

TM-CS416Li

Motor Type: Brushless//Rated Power: 1800W//
No-load Speed: 8000rpm//Max Cutting Length: 40cm(16")
Chain Speed: 12m/s//Chain lubricating system: Yes
Battery indicator: Yes



BRUSHLESS
Lithium
16.8V

TM-SH2501Li



Motor Type: Brushless//Rated Power: 300W//
Cutting Diameter: 0-25mm//Blade material: SK5//
LCD display:No



BRUSHLESS
Lithium
21V

TM-SH2502Li



Motor Type: Brushless//Rated Power: 300W//
Cutting Diameter: 0-28mm//Blade material: SK5//
LCD display:No



BRUSHLESS
Lithium
21V

TM-SH2503Li



Motor Type: Brushless//Rated Power: 300W//
Cutting Diameter: 0-28mm//Blade material: SK5//
LCD display:No



BRUSHLESS
Lithium
21V

TM-SH2504Li



Motor Type: Brushless//Rated Power: 300W//
Cutting Diameter: 0-28mm//Blade material: SK5//
LCD display:No



BRUSHLESS
Lithium
21V

TM-SH2505Li



Motor Type: Brushless//Rated Power: 300W//
Cutting Diameter: 0-28mm//Blade material: SK5//
Charging Time: 2-3H//Working time:4-6H//LCD display:Yes



BRUSHLESS
Lithium
21V

TM-SH3501Li



Motor Type: Brushless//Rated Power: 400W//
Cutting Diameter: 0-32mm//Blade material: SK5//
Charging Time: 2-3H//Working time:4-6H//LCD display:No



BRUSHLESS
Lithium
21V

TM-SH3502Li



Motor Type: Brushless//Rated Power: 400W//
Cutting Diameter: 0-32mm//Blade material: SK5//
LCD display:Yes



BRUSHLESS
Lithium
21V

TM-SH3503Li



Motor Type: Brushless//Rated Power: 400W//
Cutting Diameter: 0-32mm//Blade material: SK5//
Working time:4-6H//Working time:4-6H//LCD display:Yes



BRUSHLESS
Lithium
21V

TM-SH4501Li



Motor Type: Brushless//Rated Power: 450W//
Cutting Diameter: 0-40mm//Blade material: SK5//
LCD display:Yes



BRUSHLESS
Lithium
21V

TM-SH4502Li



Motor Type: Brushless//Rated Power: 450W//
Cutting Diameter: 0-40mm//Blade material: SK5//
LCD display:Yes



BRUSHLESS
Lithium
21V

TM-SH4503Li



Motor Type: Brushless//Rated Power: 300W//
Cutting Diameter: 0-40mm//Blade material: SK5//
LCD display:Yes





TM-P3011A
EXTENSION POLE

Telescopic scope:130-210cm
(two sections)
Head :fixed



TM-P3011B
EXTENSION POLE

Telescopic scope:150-270cm
(three sections)
Head : rotatable 180 degree



Lithium
21V

TM-P3013Li
LITHIUM POLE SAW

Motor Type: Brushed
Rated Power: 550W
No-load Speed: 12000rpm
Cutting Length: 15cm(6")
Chain Speed: 5m/s
Telescopic scope:150-270cm



BRUSHLESS
Lithium
21V

TM-P3014Li
LITHIUM POLE PRUNING SCISSOR

Motor Type: Brushless
Rated Power: 300W
Cutting Diameter: 0-28mm
Blade material SK5
LCD display:No
Telescopic scope:150-270cm



BRUSHLESS
Lithium
21V

TM-P3015Li

Motor Type: Brushless
Rated Power: 300W
Cutting Diameter:28mm(Scissor) /15cm(Saw)
LCD display:No
Telescopic scope:150-270cm



TM-SH704Li

**Lithium
21V**

Motor Type: Brushed//Rated Power: 400W//
No-load Speed: 1350rpm//Blade material: SK5//
LCD display:Yes



TM-HT601Li

**BRUSHLESS
Lithium
21V**

Motor Type: Brushless//Rated Power: 500W//
No-load speed: 1700rpm//Max Cutting Length:510mm//
Max Cutting Diameter: 15mm



TM-HT602Li

**Lithium
21V**

Motor Type:Brushed//Rated Power: 600W//
No-load speed: 1500rpm//Max Cutting Length:510mm//
Max Cutting Diameter: 15mm



TM-HT604Li

**BRUSHLESS
Lithium
21V + 21V**

Motor Type:Brushless//Rated Power: 1200w//
No-load speed: 2200rpm//Max Cutting Length:680mm
Max Cutting Diameter: 20mm



TM-EB801Li

**Lithium
21V**

Motor Type: Brushed//No-load Speed: 18000rpm//
Max Air Speed: 100km/h//Max Air Volume: 2.8m³/min



TM-EB803Li

**Lithium
21V**

Motor Type: Brushed//No-load Speed: 18000rpm//
Max Air Speed: 100km/h//Max Air Volume: 2.8m³/min//





BRUSHLESS

TM-MT200Li 21V

Output power :300w
Motor Type: Brushless
No-load Speed: 18000rpm



MT201
TWO SPEED DRILL

Chuck dia :10mm
Torque: 32N.m
No-load Speed: 1450rpm



MT202
SCREW DRIVER

Chuck dia :6.35mm
Torque: 180N.m
No-load Speed: 3300rpm



MT203
IMPACT WRENCH

Chuck dia :6.35mm+12.7mm
Torque: 300N.m
No-load Speed: 2800rpm



MT204
SANDER

Plate size:94*135mm
No-load Speed: 10000rpm



MT205
JIA SAW

Cutting capacity :12.7mm
No-load Speed: 2700rpm



MT206
RECIPROCATING SAW

Cutting capacity :15mm
No-load Speed: 3000rpm



MT207
CHAIN SAW ATTACHMENT

Cutting capacity :100mm
No-load Speed: 4000rpm



MT208
MOWER

Cutting capacity :80mm
No-load Speed: 1200rpm



MT209
HEDGE TRIMMER

Cutting capacity :160mm
No-load Speed: 1200rpm



MT210
WASHER

Flow :2.4L/min
Pressure:3.0Mpa



MT211
BLOWER

Air flow :2.8m³/min
No-load Speed: 24000rpm



MT212
ANGLE GRINDER

Cutting blade dia. :100mm
blade inner dia. :16mm
No-load Speed: 8000rpm



MT213
HAMMER DRILL

Impact frequency:5500bpm
Impact energy. :1.7J
No-load Speed: 2000rpm



MT214
INFLATING PUMP

Pressure:6.9Bar
No-load Speed: 3300rpm



MT215
MT216
PLASTIC TOOLS BOX

Dimension:3.65*28*11cm
(3.65*28*19.5cm)



TM-CW901Li
LITHIUM CAR WASHER

Lithium
21V

Motor Type: Brushed//Rated Power: 300W//
Pressure : 10 Bar//Water flow: 4L / min



TM-CW902Li
LITHIUM CAR WASHER

BRUSHLESS
Lithium
21V

Motor Type: Brushless//Rated Power: 300W//
Pressure : 10 Bar//Water flow: 4L / min



TM-GD903Li
LITHIUM ANGLE GRINDER

Lithium
16.8V

Motor Type: Brushed//Rated Power:550w//
Max Cutting thickness:10mm



TM-SP904Li
LITHIUM SPRAYER

Lithium
1.8V

Motor Type: Brushed//Rated Power: 80w//
Tank capacity: 5L



TM-F905Li
LITHIUM FAN

Lithium
21V

Fan blade size:12"//Motor Type: Brushed//
Rated Power: 400w//No-Load speed:2800rpm//
Rotation angle:270°//With led light



TM-RS906Li
LITHIUM RECIPROCATING SAW

Lithium
21V

Motor Type: Brushed//Rated Power:550w//
Cutting stroke:15mm//Max Cutting thickness:
150mm(wood)/6mm(metal)/40mm(plastic)





BRUSHLESS
Lithium
24V

TM-4CD35Li
LI-ION BATTERY TEA LEAF PICKER

Motor Type: Brushless//Rated Power: 300w//
Blade Length:350mm//Productivity:>30kg/h



BRUSHLESS
Lithium
21V

TM-EA903Li
LITHIUM EARTH AUGER

Motor Type: Brushless//Adjustable speed: 3 Levels//
Optional bit size: 100/150/200mm



BRUSHLESS
Lithium
21V

TM-TW907Li
LITHIUM POLISHING MACHINE

Motor Type: Brushless//Rated Power: 2.6kw//
Adjustable speed: 3 Levels//Speed :0-360rpm



BRUSHLESS
Lithium
21V

TM-TW908Li
LITHIUM POLISHING MACHINE

Motor Type: Brushless//Rated Power: 2.6kw//
Adjustable speed: 3 Levels//Speed :0-360rpm//
With pole : 1.5m



12V 1.5AH
(3CELLS)



16.8V 1.5AH
(4CELLS)



21V 1.5/2.0AH
(5CELLS)



21V 3.0/4.0AH
(10CELLS)



21V 5.0/6.0AH
(15CELLS)



STANDARD CHARGER
(0.5A-0.7A)



FAST CHARGER
(1.0A)



CN Standard



USA/P Standard



KR Standard



Europe Standard



AU Standard



UK Standard



TEAMAX

POWER PRODUCTS



FUZHOU TEAMAX POWER TECHNOLOGY CO.,LTD

Factory 1:No.58 Juyuanzhou Industrial Park Fuzhou,China

Tel:+86-591-83054667 Fax:+86-591-83054667

Factory 2:NO.9 Xita Road,Chengxi Industrial Park Yongkang,Zhejiang,China

Email:manager@teamaxpower.com

Mobile:+86-13600850700 (wechat/whatsapp)

www.teamaxpower.com

